



L SHARK



EMBARK ON A NEW ERA WITH THE FIRST ECE2206 AND P/J APPROVED MODULAR SHARK.

ENJOY THE FREEDOM TO TRAVEL VAST DISTANCES, WHATEVER THE CONDITIONS; IT ADAPTS TO YOUR NEEDS AND RIDING STYLE.

EFFORTLESSLY SWITCH FROM FULL TO JET POSITION, AND DISCOVER UNMATCHED VERSATILITY FOR A RIDING EXPERIENCE WITHOUT PRECEDENCE.



ORDEN MANAGEMENT LANGUES



FLIP BACK RIDING SENSATIONS

FLIP BACK: PERFORMANCE DESIGN POWERED BY AERODYNAMICS

Discover optimised speed and stability thanks to the aerodynamics of the Flip-back. Its streamlined shape reduces drag for peak performance. Whether open or closed, the Flip-back minimises turbulence, ensuring perfect control with every acceleration. OXO adapts to all conditions. In Flip-back mode, it transforms into an openface helmet, offering freedom and ease of interaction in urban settings without compromising safety. The ultimate adaptability for an unmatched riding experience.

MODULARITY AND PRECISION MEET FREEDOM

Fast full-face/jet transition thanks to '2 DIGIT UNLOCK' technology.

A revelation in the world of design and comfort. You'll be captivated by its assertive style and unparalleled comfort. Get ready to take you experience to the next level.

Designed for those who aspire to merge efficiency, style and comfort.

FLUID AND CAPTIVATING DESIGN

A revelation in the world of design and comfort. You will be captivated by its assertive style and unparalleled comfort. Get ready to take your experience to the next level. Designed for those who aspire to merge efficiency, style and comfort.

THE STRENGTH OF ITS STRUCTURE


Discover the power of LEXAN TM high-impact polycarbonate injection, A high-quality material that promises optimal and constant mechanical properties from -10 to +50°C:

- Abrasion and compression resistance
- Excellent shock absorption
- Resistance to extreme temperature variations, making it ideal for use in varied weather conditions Complemented by our multi-density EPS available in 2 shell sizes and 6 liner sizes, it guarantees optimal damping on each impact zone.





TE50 APPROVED DAY USE ONLY RACING USE ONLY VZ39015PTE50TU (SMALL SHELL) VZ39016PTE50TU (LARGE SHELL)



ansaman.

DARK SMOKED VZ39010PFUTU (SMALL SHELL) VZ39011PFUTU (LARGE SHELL)



MIRROR SILVER RACING USE ONLY VZ39030PSLVTU (SMALL SHELL) VZ39031PSLVTU (LARGE SHELL)



IRIDIUM BLUE RACING USE ONLY VZ39030PBLUTU (SMALL SHELL) VZ39031PBLUTU (LARGE SHELL)



IRIDIUM RED RACING USE ONLY VZ39030PREDTU (SMALL SHELL) VZ39031PREDTU (LARGE SHELL)



IRIDIUM GOLD RACING USE ONLY VZ39030PGLDTU (SMALL SHELL) VZ39031PGLDTU (LARGE SHELL)



IRIDIUM RAINBOW RACING USE ONLY VZ39030PRNWTU (SMALL SHELL) VZ39031PRNWTU (LARGE SHELL)

VISORS

ADJUSTABLE VISOR, COMFORT AT YOUR FINGERTIPS

Discover, experience, while maintaining absolute control. The visor, with anti-scratch treatment, offers a panoramic field of view.

With two open options, full or partial, enjoy the freedom to ride with the visor in the "air stream" position for a personalized driving experience.

It ensures a waterproofing and a custom fit thanks to its two sizes, for small and large shells.

Pinlock 70 included.

The UV380 sun visor is anti-scratch and anti-fog treated, guaranteeing clear and unobstructed vision. Its intuitive side mechanism allows easy and quick adjustment ensuring optimal protection.

VZ390S/VZ390L (0X0)

The VZ390 offers panoramic vision for total control. With full or partial opening options, it offers personalized comfort.

Available in two sizes, it ensures a tight seal and a perfect fit. Its side mechanism allows easy adjustment for optimal protection.

- 2 visor sizes (1 per shell size)
- Central locking/unlocking
- Max vision integrated Pinlock housing
- Adjustable Pinlock tension
- Anti-scratch treatment
- Quick disassembly without tools
- Iridium versions blue/rainbow/red/gold/silver "Racing use only"
- TE50 light tinted approved version available





+ .

BEST FIT BY SHARK

Thanks to a 3D scanning campaign involving a wide range of users, we were able to establish the most suitable base for your head shape.

Our exceptional second skin fit combines 2 high-tech textiles to ensure:

- premium quality finishes
- semi-firm foams for exemplary support in use
- remarkable weatherproofing and seal
- a true feeling of freedom when riding Cheek pads available in different thicknesses: 25-30-35-40-45 mm

Machine washable interior.

Quick and intuitive removal of cheek pads and liner removable wind deflector device

A reflective print is positioned on the neck protection, improving visibility while riding.

BIRDEYES ECO CIRCLE

- «Eco Circle» recycled fibres made from used polyester
- From an innovative recycling technology process: "Eco Circle chemical recycling process"
- similar properties to traditional polyester while having a lower environmental impact
- AEGIS® treatment: anti-bacterial and anti-odour.

MICROPEACH

- Textile with mechanical elasticity
- «Soft touch» finish: lightly brushed fabric for a softer feel on the skin.

+

-

OXO

FLIP-BACK RIDING SENSATIONS





EASE OF MAINTENANCE:

Interior textiles (cheek pads and liner) are easily removable and machine washable at 30°C.

HOW TO MEASURE YOUR SKULL CIRCUMFERENCE:

To ensure that your helmet protects you effectively, while remaining comfortable, choose the right size. You should be firmly held without feeling pain. The head circumference measurement is done by placing the tape measure around the widest part of your head, at the halfway point of the forehead and above the eyebrows.

XS TO XXL

XS: 53-54cm / S: 55-56 cm / M: 57-58cm L:59-60cm / XL:61-62cm / XXL:63-64cm

Number of shell sizes: 2 1660 gr (size M +/- 50 gr)







































SHARK



FLIP-BACK RIDING SENSATIONS







MIDELLING COLOR CO













WO5 / GLOSSY / HE8700 BLANK





WINDOWS WILLIAM STREET















G02 / MAT / HE8701 BLANK



DISCOVER CLARITY FROM
A NEW PERSPECTIVE WITH OUR
LIGHT TRANSMISSION GUIDE.

THE INDICATED PERCENTAGE
REPRESENTS THE AMOUNT OF VISIBLE
LIGHT THAT CAN PASS THROUGH THE.
EASILY SWITCH FROM TRANSPARENCY
TO THE INTENSITY OF A TINTED OR
IRIDIUM SCREEN.

TAKE POLE POSITION, REFINE YOUR VISION AND AMPLIFY YOUR RACING EXPERIENCE!

LIGHT TRANS/VISSION

-

% LIGHT TRANSMISSION	VZ100	VZ300	VZ360	VZ390	VZ400	VZ670
CLEAR	91%	91%	91%	91%	91%	91%
CLEAR ANTI SCRATCH /ANTI FOG	91%	91%	-	-	-	-
LIGHT TINTED	-	50%	50%	50%	50%	-
LIGHT TINTED TE35	35%	-	-	-	-	-
IRIDIUM BLUE	3%	50%	12%	12%	50%	12%
IRIDIUM RED	-	50%	12%	12%	50%	12%
IRIDIUM PINK	12%	50%	-	-	50%	12%
IRIDIUM GOLD	3%	-	12%	-	12%	12%
IRIDIUM RAINBOW	-	12%	12%	12%	-	12%
IRIDIUM SILVER	3%	-	6%	6%	-	6%
DARK	3%	6%	6%	6%	6%	6%
CHROME	-	6%	-	-	6%	-




Be at the centre of the conversation

Communicate without limits with SENA for SHARK Inspired by the Shark's sensory (optional) Our latest models are approved to integrate SENA and SENA Mesh Bluetooth intercoms incl. WAVE, the result of a close collaboration with SENA

Design optimized for a minimal surface space. It has been designed to perfectly match the curves of our helmets. With its rich sound, advanced features and seamless integration, the SENA communication system ensures high-quality entertainment and real-time information while riding, while being remarkably discreet.

INTERCO///







- Maximum operating distance in optimal conditions of 1600 meters
- HD speakers (diameter 40 mm)
- Developed for perfect integration with your Shark helmet. Performance, style and safety for optimal riding*
- Waterproof
- Battery life 15 h
- Bluetooth 5.2
- The intercom recharges in two and a half hours
- Advanced Noise Control™ reduces the effects of ambient noise



SENA FOR SHARK - BTS (SINGLE) SENA FOR SHARK - BTD (DUO)



- Bluetooth System for a maximum of 4 members.
- Maximum operating distance in optimal conditions of 800 meters
- HD speakers (diameter 40 mm)
- Developed for perfect integration with your Shark helmet. Performance, style and safety for optimal riding
- Waterproof
- Battery life of 15 h
- Bluetooth 5.1
- The intercom recharges in two and a half hours
- Bluetooth Universal Connectivity
- Advanced Noise Control™ reduces the effects of ambient noise

